## Updated Risk Assessments to minimise the risk of being exposed to Covid-19

The process involved consultation with all school staff.

### Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Courtenay NS to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for Courtenay NS in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A **risk** is the likelihood that someone will be harmed by a hazard and the severity of that harm.

#### **Control measures:**

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

#### **Control measure principles:**

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

# Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

# **Probability/Likelihood**

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

### **Risk Rating**

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

<sup>\*</sup>Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected? Identified Risks	Risk Communication, Education and Training  Controls	Risk Rating with controls	Action implementation
Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	The Board of Management will develop a response plan for the prevention and mitigation of Covid-19 following a risk assessment of the school facility. This plan will highlight the measures necessary to protect the health and safety of staff in re-opening and modifying the work arrangements within the school.  The staff representative(s) Mr. Kelly and Ms. O'Donnell will be properly consulted when developing and implementing the action plan for the prevention and mitigation of Covid-19 within the school and all staff will be informed about the measures being introduced, using specific risk communication and staff engagement approaches.  The Board of Management will:  ✓ Ensure that all staff receive necessary training prior to returning to work  ✓ Provide posters, information and electronic message boards to increase awareness of Covid-19 among staff and pupils  ✓ Promote safe individual practices within the school campus  ✓ Engage with staff in providing feedback on the preventive measures and their effectiveness  ✓ Provide regular information about the risk of Covid-19 using official sources, such as government agencies (HSE, HSA, etc.) and the World Health Organisation  ✓ Emphasise the effectiveness of adopting protective measures especially good personal hygiene  ✓ Provide specific training in the proper use of PPE for staff, where required	Negligible	Board of Management Principal Staff
	Risk Level Action  1-5 Trivial risk Acceptable  6-10 Medium risk Requires monitoring  11-15 Severe risk Requires immediate furthe  16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date: August, 2020	<u>Assessor's Name</u> : Lead Worker Representative	and ISM Team	_

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	cough, not just a dry cough	The BoM will ensure that all staff can wash their hands regularly. Hot water and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available throughout the school. Staff should:  ✓ Wash their hands properly and often. Hands should be washed:  ○ After coughing or sneezing  ○ Before and after eating or preparing food  ○ Before and after using protective gloves	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calcula (a) Severity of risk (b) Likelihood of 6 (c) Risk Rating = (a)	1=trivial, 2=slight, 3=mode event 1=rare, 2=unlikely, 3=likely	Risk Level Action  1-5 Trivial risk Acceptable  4, 4=very likely, 5=inevitable  6-10 Medium risk Requires monitoring  11-15 Severe risk Requires immediate furthe  16-25 Emergency risk Halt activity and review im		ntrol
Assessment Date	: August, 2020	Assessor's Name: Lead Worker Representative a	nd ISM Team	

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	<ul> <li>✓ Appropriate social distancing markings are in place</li> <li>✓ Necessary PPE is available to staff</li> <li>✓ Standard cleaning and maintenance regimes are put in place and detailed records retained</li> <li>✓ Toilet facilities are cleaned regularly</li> <li>✓ Equipment sharing is minimised. Staff are encouraged not to share equipment</li> <li>✓ There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags)</li> <li>✓ All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people</li> <li>✓ Covid compliant work areas to be available where social distancing guidelines can be applied</li> <li>✓ There is staggered use of the staff room and other communal facilities</li> <li>✓ Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow</li> <li>✓ All waste collection points are emptied regularly throughout and at the end of each day.</li> <li>✓ Staff use gloves when removing rubbish bags or handling and disposing of any</li> </ul>	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculatio (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ve			
Assessment Date:	August, 2020	Assessor's Name: Lead Worker Representative and	d ISM Team	

Who may be affected?	Identified Risks	Social Distancing  Controls		Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	Physical distancing is currently a key control measure in reducing the spread of infection. The Board of Mangement will ensure that:  ✓ all persons will adhere to relevant social distancing rules in relation to entering the school, use of welfare facilities and while working in the school  ✓ physical spacing for work stations and common spaces, such as entrances/exits, state where congregation or queuing of staff, or students of visitors might occur  ✓ A maximum of 6 people may use the staff room at one time  ✓ School supervision procedures must be strictly adhered to  ✓ Appropriate signage in line with public health guidelines will be displayed through facility (buildings and grounds)  ✓ Appropriate social distancing arangements will be in place throughout the facility  ✓ Meetings of staff will take place with social diatancing or online  ✓ There is currently a strict no handshaking policy in place within the school  ✓ All staff, contractors and visitors should avoid direct physical contact with any other far as possible  Where 2 metre distance cannot be maintained (DES guidance awaited)  Requirements for personnel working within 2 metres of each other (where activity of suspended):  ✓ No worker has symptoms of Covid-19  ✓ The close contact work cannot be avoided  ✓ PPE is present in line with the approved risk assessment (full face mask, gloves, etchealth advice  ✓ Prior to donning appropriate PPE, staff will wash/sanitise their hands thoroughly  ✓ PPE gear (visors) must remain on school premises at all times	ghout school er persons as cannot be	Requires monitoring Serious	Board of Management Principal Staff Visitors
Risk Level Calculation  (a) Severity of risk/inju (b) Likelihood of event (c) Risk Rating = (a) X (	1=rare, 2=unlikely, 3=likely, 4=		liate further act		
Assessment Date: A	ugust, 2020	<u>Assessor's Name</u> : Lead Worker Repr	resentative an	d ISM Team	

Who may be affected?	Identified Risks		eaning ontrols	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	items handled at work or during breat have bring to work (e.g. mobile phone surfaces or they will need to clean the ✓ Staff will bring their own covered cup them home to be cleaned ✓ Staff will sanitize before entering the s ✓ Cleaning staff will be trained in the new ✓ Sufficient cleaning materials and PPE v ✓ Cleaning staff will be instructed to west to wash their hands thoroughly with gloves ✓ System in place for the disposable of Current HSE guidance recommends v person suspected of having Covid-19 area for 72 hours before being present ✓ System in place to make sure reusable disposable cloths are clean before re-Mop heads and cleaning cloths are col	sonal items that have been brought to work and as. Staff advised to clean personal items that they are and to avoid leaving them down on communal surface after the personal item is removed and other lunch items in a lunch bag and will take taffroom a cleaning arrangements for the school will be available to allow for increased cleaning ar gloves when cleaning and are aware of the need soap and water, both before and after wearing cleaning cloths and used wipes in a rubbish bag asste such as cleaning waste, tissues etc. from a should be double bagged and stored in a secure and for general waste collection cleaning equipment including mop heads and non-use-there is a school washing machine and dryer. Our coded.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	mjury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name: Lead Worker Representative a	nd ISM Team	

Who may be affected?	Identified Risks	Office and ad	ministration areas	Risk Rating	Action implementation
arrected?	identified Risks	Ca	ontrols	with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	designated workstations and staff  • The number of employees permitted to limited as a necessary control measure	e the maintenance of physical distancing between to work in an office at any particular time shall be to protect health and safety.	Requires	Board of Management Principal Administration staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=like	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name: Lead Worker Representative	and ISM Team	

Who may be affected?	Identified Risks	Use of PPE	Risk Rating	Action implementation	
anecteur	identified Risks	Controls	with controls	S Action implementation	
Staff	they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell	Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE.	Requires monitoring	Board of Management Principal Staff	
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action  1-5 Trivial risk Acceptable  6-10 Medium risk Requires monitoring  11-15 Severe risk Requires immediate furthe  16-25 Emergency risk Halt activity and review in		ntrol	
Assessment Date:	August, 2020	<u>Assessor's Name</u> : Lead Worker Representative a	and ISM Team		

Who may be affected?	Identified Risks	Handling books and other resour	ces during Covid-19	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	The Board of Management has to prepare for the rental scheme) and other resource materials (in these will be available to pupils for the start following guidelines are recommended for staff compiling resource packs:  Maintain physical distancing (currently 2  Observe good hygiene (hand washing an touch your eyes, nose, mouth with unwafter handling books and other materials  Follow the agreed school protocols if you covid-19  Any books or other items (resource preturned to the school should be Quarantining means placing these iteliabelled with the time and date of the seperiod. These boxes should be stored in active work areas within the school  Following the expiry of the 72-hour quabe unboxed, cleaned and prepared for the Hands should be washed in line with release.	of the new school year. The when receiving or assisting in metres) deprivation of the ashed hands, etc.) before and a returned to the school of are displaying symptoms of eacks, computers, etc.) being quarantined for 72 hours. The in sealed boxes that are eart of the 72-hour quarantine as eparate location away from the rest school year.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	nt 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality  1-5 Trivia ely, 4=very likely, 5=inevitable  6-10 Med 11-15 Seve 16-25 Emer	l risk Acceptable um risk Requires monitoring		ntrol
Assessment Date:	August, 2020	Assessor's I	lame: ISM Team		

Who may be affected?	Identified Risks	Using hand tools or equipment	Risk Rating	
аттестей?	identified Risks	Controls	with controls	Action implementation
All staff	Spread of Covid-19 virus  Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	and machinery as far as is reasonably practicable  Cleaning material will be available so that all tools can be wiped down with disinfectant between each use  ✓ All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisied prior to use		Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)  Assessment Date:	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in  Assessor's Name: Lead Worker Representative	nmediately	ntrol

Who may be affected? Identified Risks		Dealing with a suspected case of Covid-19	Risk Rating	Action implementation
anecteur	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	If a person displays symptoms of Covid-19 the following procedure is to be implemented:  ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation  (a) Severity of risk/injury  (b) Likelihood of event  (c) Risk Rating = (a) X (b)  1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality  1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable				ntrol
Assessment Date:	August, 2020	Assessor's Name: Lead Worker Representative a	and ISM Team	

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19 (continued	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Spread of Covid-19 virus  Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	If the person is well enough to go home, arrange for them to be tra family member, as soon as possible and advise them to inform their by phone of their symptoms. Public transport of any kind should not let they are too unwell to go home or advice is required, contact 99 them that the sick person is a Covid-19 suspect.  Carry out an assessment of the incident which will form part of detactions and recovery.  Arrange for appropriate cleaning of the isolation area and work are	ansported home by a regeneral practitioner of be used 99 or 112 and inform Requires monitoring termining follow-up	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of eve (c) Risk Rating = (a) X	- ijury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=like	ly, 4=very likely, 5=inevitable  6-10 Medium risk Requ 11-15 Severe risk Requ 16-25 Emergency risk Halt	eptable juires monitoring uires immediate further action and co activity and review immediately	ntrol
Assessment Date:	August, 2020	Assessor's Name: Lead Wo	orker Representative and ISM Team	

Who may be affected?	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation
arrecteu:	identified hisks	Controls	with controls	Action implementation
Staff Pupils Visitors	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	suspected coronavirus (Covid-19) case. This will reduce the risk of passing the infection on to other people  For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished  Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles  If an area has been heavily contaminated, such as with visible bodily fluids, from a person with coronavirus (Covid-19) consider using protection for the eyes, mouth and nose, as well as wearing gloves and apron  Wash hands regularly with soap and water for 20 seconds and after removing gloves, aprons and other protection used while cleaning  Public areas where a symptomatic individual has passed through and spent minimal time, such as corridors, but which are not visibly contaminated with body fluids can be cleaned as normal  All surfaces that the symptomatic person has come into contact with must be cleaned	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation  (a) Severity of risk/injury  (b) Likelihood of event  (c) Risk Rating = (a) X (b)  Assessment Date: August, 2020			mmediately	ntrol

Pupils Visitors  Persons most at at they cate  • 60 yea  • have condition lung of pressure  • pregna  Known coronavi  • A fevel 37.5 deg  • A cough of cough  • Short breathing  • Loss of end of the coronavi  • Loss of end of the coronavi  • Death	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19  Controls	Risk Rating with controls	Action implementation
	at risk of complications if atch the coronavirus are: rears of age and over ave long-term medical ions — i.e. heart disease, disease, high blood are, diabetes or cancer gnant women  n effects of the avirus: ver (high temperature of egrees Celsius or above) ugh - this can be any kind gh, not just a dry cough ortness of breath or ning difficulties of sense of smell s of sense of taste or tion of sense of taste	Avoid creating splashes and spray when cleaning.  Any items that have been heavily contaminated with bodyfluids and that cannot be cleaned washing should be disposed of  If possible, keep an area closed off and secure for 72 hours. After this time the amount of virus contamination will have decreased substantially, and cleaning can take place as normal		Board of Management Principal Cleaning staff
Risk Level Calculation  (a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality (b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b)  Assessment Date: August, 2020			nmediately	ntrol

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 (continued)		Action implementation
Staff Pupils Visitors	Spread of Covid-19 virus  Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	<ul> <li>an unwell person can be washed with other people's items. Do not shake dirty laundry as this minimises the possibility of dispersing the virus through the air</li> <li>✓ Clean and disinfect anything used for transporting laundry with your usual products, in line with the cleaning guidance outlined above</li> </ul>	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action  1-5 Trivial risk Acceptable  6-10 Medium risk Requires monitoring  11-15 Severe risk Requires immediate furth  16-25 Emergency risk Halt activity and review ir		ntrol
Assessment Date:	August, 2020	<u>Assessor's Name</u> : Lead Worker Representative	and ISM Team	

Who may be affected?			Risk Rating	Action implementation
arrected. Identified history		Controls		Action implementation
Staff	<ul> <li>they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease,</li> </ul>	Wherever possible, staff should travel to work alone using their own means of transport — staff should not share transport to or from work.  If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles,roofstraps,isolation bars, etc.  Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey.	Requires monitoring	All staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik ( (b)	Risk Level Action  oderate, 4=major, 5=fatality  ely, 4=very likely, 5=inevitable  1-5 Trivial risk Acceptable  6-10 Medium risk Requires monitoring  11-15 Severe risk Requires immediate further  16-25 Emergency risk Halt activity and review in	nmediately	ntrol
<u>Assessment Date</u> :	August, 2020	<u>Assessor's Name</u> : Lead Worker Representative a	and ISM Team	

Who may be affected?	Identified Risks	Dropping off and picking up of pupils	Risk Rating	Action implementation
arrected:	idelitilled Nisks	Controls	with controls	Action implementation
Bus and taxi drivers	most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)	Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures.  Pre-agreed staggered arrival times have been put in place	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculation  (a) Severity of risk/injury  (b) Likelihood of event  (c) Risk Rating = (a) X (b)  1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality  1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable				ntrol
Assessment Date:	August, 2020	Assessor's Name: Lead Worker Representative a	nd ISM Team	

Who may be affected?	Identified Risks	Visitors to school  Controls	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste  • Death	Visits to the school will be severely restricted and visitors will be asked to:  ✓ Make a prior appointment before visiting the school ✓ Remain at home if they have any Covid-19 symptoms ✓ Follow the agreed Covid-19 protocols for the school ✓ Sanitise before entering the premises ✓ Attendance to be recorded on entry to building ✓ Wear PPE if instructed ✓ Adhere to social distancing requirements ✓ Not to loiter – complete their business and leave premises	Requires monitoring	Board of Management Principal
Risk Level Calculation  (a) Severity of risk/injury  (b) Likelihood of event  (c) Risk Rating = (a) X (b)  1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality  1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		ely, 4=very likely, 5=inevitable  6-10 Medium risk Requires monitoring  11-15 Severe risk Requires immediate furth  16-25 Emergency risk Halt activity and review in	nmediately	ntrol
August 2020		Assessor's Name: Lead Worker Representative a	•	

Who may be affected?	Identified Risks		eries and supplies to school	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Spread of Covid-19 virus  Persons currently deemed most at risk of complications if they catch the coronavirus are:  • 60 years of age and over  • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer  • pregnant women  Known effects of the coronavirus:  • A fever (high temperature of 37.5 degrees Celsius or above)  • A cough - this can be any kind of cough, not just a dry cough  • Shortness of breath or breathing difficulties  • Loss of sense of smell  • Loss of sense of taste or distortion of sense of taste	<ul> <li>Ensure that all delivery transactions of Agree a delivery protocol with supplie</li> <li>All deliveries to be planned with allocations.</li> <li>Arrangements to be made for paperle</li> <li>System to be agreed with suppliers to</li> </ul>	ated times for collections and deliveries ss deliveries	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b)  1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable			Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further the severe risk Halt activity and review in		ntrol
Assessment Date:	August, 2020		Assessor's Name: Lead Worker Representative and ISM Team		

### **Declaration of Sight**

I have read and understand the contents of this document. Signed: \_\_ Dated: Signed: \_\_\_\_\_ Dated: \_\_\_\_ Signed: \_\_\_\_\_\_ Dated\_\_\_\_\_ Signed: Dated: Signed: \_\_\_\_\_\_ Dated: \_\_\_\_\_ Signed: \_\_\_\_\_\_ Dated: \_\_\_\_\_ Signed: \_\_\_\_\_ Dated: \_\_\_\_\_ Signed: \_\_\_\_\_\_ Dated: \_\_\_\_\_ Signed: Dated: Signed: Dated: Signed: \_\_\_\_\_\_ Dated: \_\_\_\_\_ Signed: \_\_\_\_\_\_ Dated:\_\_\_\_\_ Signed: \_\_\_\_\_ Dated: \_\_\_\_\_ Signed:\_\_\_\_\_\_ Dated:\_\_\_\_\_ Signed:\_\_\_\_\_\_ Dated:\_\_\_\_\_

Signed:	Dated
Signed:	Dated:
Signed:	Dated:
Signed:	Dated
Signed:	Dated:
Signed	Datad:

Signed:	Dated
Signed:	Dated: